

Message

From: Bloom, Judy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=5094D85839444B28B2151D11A4FE5961-BLOOM, JUDY]
Sent: 2/9/2022 10:57:54 PM
To: Rockeman, Karl H. [krockema@nd.gov]; Wax, Peter N. [pwax@nd.gov]
CC: Wirick, Holiday [wirick.holiday@epa.gov]; Todd, Andrew [Todd.Andrew@epa.gov]
Subject: RE: ND Mercury

Thanks Karl, would you like to submit a few dates and times when you are available? You might be the busiest of all of us. Perhaps we could look to a couple of weeks out to allow everyone to prepare and have more availability.

Judy Bloom | Manager | Clean Water Branch | USEPA, R8 | 1595 Wynkoop St, 8WD-CW | Denver CO | 80202 | 303 312 6395 — office | 303 548 5854 — mobile | bloom.judy@epa.gov
Please email or call mobile as I am working remotely
pronouns she/her/hers

From: Rockeman, Karl H. <krockema@nd.gov>
Sent: Wednesday, February 9, 2022 3:51 PM
To: Bloom, Judy <Bloom.Judy@epa.gov>; Wax, Peter N. <pwax@nd.gov>
Cc: Wirick, Holiday <wirick.holiday@epa.gov>; Todd, Andrew <Todd.Andrew@epa.gov>
Subject: RE: ND Mercury

Lets go ahead and get something on the calendar. What week are you thinking?

We haven't been able to identify any additional dataset that we would have to support EPA's recommended criteria.

I also must reiterate our position that the process requires EPA to explain why their recommended criteria is not applicable to ND, not for us to defend your own criteria.

I look forward to continuing the conversation.

Karl Rockeman
Director
Division of Water Quality

701.328.5210 • KRockema@ND.gov

 **Environmental Quality**
Be Legendary.™

<https://deq.nd.gov/> • 4201 Normandy Street • Bismarck, ND 58503-1324

From: Bloom, Judy <Bloom.Judy@epa.gov>
Sent: Saturday, February 5, 2022 11:55 AM
To: Rockeman, Karl H. <krockema@nd.gov>; Wax, Peter N. <pwax@nd.gov>
Cc: Wirick, Holiday <wirick.holiday@epa.gov>; Todd, Andrew <Todd.Andrew@epa.gov>
Subject: ND Mercury

***** **CAUTION:** This email originated from an outside source. Do not click links or open attachments unless you know they are safe. *****

Karl and Pete,

I meant to email you earlier in the week and lost track. Just circling back with you after our conversation and want to see if it makes sense to regroup around this issue. The last we spoke, we discussed the possibility of additional data that they state may have; and the possibility of having a follow-up conversation with our HQ technical experts.

Thanks for letting me know your thoughts and what follow-up you need.

Hope you are having (or had) a good weekend,
Judy

Judy Bloom | Manager | Clean Water Branch | USEPA, R8 | 1595 Wynkoop St, 8WD-CW | Denver CO | 80202 | 303
312 6395 – office | 303 548 5854 – mobile | bloom.judy@epa.gov

*Please email or call mobile as I am working remotely
pronouns she/her/hers*